



City of Regina
Standard Construction Specifications
APPROVED PRODUCTS LIST

Requests for alternate products may be submitted to:

Development Services
City Planning and Development Division
Queen Elizabeth II Court
2476 Victoria Avenue
Regina, Saskatchewan S4P 3C8
E-mail: productreviews@regina.ca

Revision List	
Date	Description
January 30, 2017	Initial Issue
April 4, 2017	Revised RP-02 - Crack Sealant
April 4, 2017	Revised WP-16 - Curb Boxes – removed Mueller as they no longer supply curb boxes.
June 26, 2017	General: Revised Trojan Industries to Titan Foundry Revised WP-10 and SP-02 – Valve Boxes: removed IPEX and SIGMA Revised WP-16 – Curb Boxes: Added Titan Foundry Revised SP-10 - Catch Basin Frame and Covers on Bus Routes and Arterial Streets: Added TF 103-4 Revised SP-11 – High Capacity Catch Basin Frame and Cover: Added Titan Foundry Type K-1
January 17, 2018	Revised SP-09 – Grated Catch Basin Frame and Cover in Easements to refer to Standard Drawing S-7 Revised SP-10 - Catch Basin Frame and Covers on Bus Routes and Arterial Streets. Removed reference to TF 103-3. Revised WP-05 – added stainless steel or epoxy-coated ductile iron sleeves. Revised WP-10- Added note regarding WD Industrial Type A PI to be used in open space areas only. Revised WP-16 – Added WD Industrial as approved. Revised RP-01 – Revised standard to be ASTM F667.
April 28, 2018	Revised WP-05 – Added Smith-Blair; updated standard reference. Revised WP-06 – Removed Dresser, Mueller “Maxi-Range”, Canada Pipeline Accessories; updated standard reference.
August 1, 2018	Revised WP-04 – Added CLOW as approved. Revised standard notes and comments. Revised WP-06 – Added Smith Blair as approved for couplings > 600, updated standard notes and comments. Revised WP-09 – Added VENT-O-MAT as approved. Revised SP-03 - Added VENT-O-MAT as approved.
November 20, 2018	Revised WP-06 – Added HYMAX GRIP and HYMAX Ductile Iron High-pressure couplings as approved for couplings ≤ 300mm.
Oct 4, 2022	Revised W-21 – Added Neptune Mach 10 Meter and updated the CSA standard. Revised W-22- Added Neptune R900 and R900 Cellular MIU
April 05, 2024	Added TP-01 - Added AEROFLEX in the Traffic Product list
Sep 03, 2024	Revised WP-02 - Updated Manufacturer's name from Rehau to NEXT Polymers - Rehau sold the PVC pipe plant to NEXT Polymers in 2011.

Revision List	
Date	Description
March 31, 2025	Revised WP- 07 - Gate Valves - Added Terminal City Iron Works as Gate Valve manufacturer Revised WP - 18 - Protective tape and primer - Added Bren Technologies Inc as manufacturer Revised WP-02 - PVC Pipes - Added Northern Pipe Products as C900 PVC pipe approved manufacturer. Revised SP-12 - PVC Pipes - Added ADS Pipe as approved manufacturer
June 30, 2025	Revised WP-02 – Company name Royal Pipe updated to Westlake Pipe and Fittings Add Diamond Plastics as approved manufacturer Revised WP-03 – Company name HARCO updated to Westlake Pipe and Fittings Revised WP-05 – Company name HARCO updated to Westlake Pipe and Fittings Revised WP-07 – Add VANH-TECH International as approved manufacturer Revised WP-08 – Add VANH-TECH International as approved manufacturer

City of Regina
Standard Construction Specification

Approved Products List

WATER SPECIFICATIONS PRODUCTS (SP)							
Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
1510	4 (2.2)	WP – 01	Fitting: Aluminum or 316 stainless steel	CAMLOK			Min pressure rating 690 kPa.
2511	2 (2.1.1)	WP – 02	PVC Pipe	IPEX		CSA B137 Series 13 ANSI/NSF 61 AWWA C900	
				Westlake Pipe & Fittings			
				NEXT Polymers			
				Northern Pipe			
				Diamond Plastics		C900/905	
2511	4 (2.2.2)	WP – 03	PVC Fitting	Westlake Pipe & Fittings		CSA B137.2 AWWA	
				IPEX		C907 ANSI/NSF 61	
2511	5 (2.2.5)	WP – 04	Joint restraints	Uni-Flange		UNI-B-13 and ASTM F1674	DI bodies to ASTM A356 Grade 64-45- 12; 304 SS Bolts
				CLOW			

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
2511	7 (2.6.1)	WP – 05	Couplings and Adaptors (≤ 300mm)	IPEX Inc.		PVC: CSA B137.2	PVC to PVC pipe
				Westlake Pipe & Fittings			
				Robar	1696	AWWA C219	PVC to PVC or, PVC to AC or CI: T304 stainless sleeve or
				Romac	Macro HP	ASTM A536	
				Smith Blair		Gaskets: NSF 61	
				HYMAX	GRIP, Ductile Iron High Pressure Couplings		epoxy coated DI sleeves and followers.

City of Regina
Standard Construction Specification

Approved Products List

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
2511	7 (2.6.2)	WP – 06	Couplings and Adapters (> 300mm to 600mm)	Robar		AWWA C219 ASTM A536 Sleeves: ASTM A53 Gaskets: NSF 61	PVC to PVC or, PVC to AC or CI: T304 stainless sleeve or epoxy coated DI sleeves and followers. Carbon steel sleeves, ductile iron followers, fusion bonded epoxy coating.
				Romac			
				Smith Blair			
2511	8 (2.7.1)	WP – 07	Valves: Gate Valves	Mueller		AWWA C509 AWWA C515 ANSI/NSF 61	
				Clow			
				Bray			
				Terminal City			
				VAHN-TECH Int.		AWWA C509/C515	
2511	8 to 9 (2.7.)	WP – 08	Valves: Butterfly Valves	K-Flo	Wolverine Series 500 and series 47	AWWA C505 AWWA C504 ANSI/NSF 61	
				DeZurik	DeZurik-RS632		
				Mueller	Mueller Lineseal III		
				Henry Pratt	Pratt-groundhog		
				Bray			
				VAHN-TECH Int.		AWWA C504 (3"-24")	

City of Regina
Standard Construction Specification

Approved Products List

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
2511	9 (2.7.3)	WP – 9	Valves: Air Release	Val-Matic Cla-Val APCO VENT-O-MAT		AWWA C512 ANSI/NSF 61	
2511	10 (2.9)	WP-10	Valves Boxes	Titan Foundry	Cast Iron Upper Section / PVC Lower Cast Iron Upper Section / PVC Lower Type A PI	Normal use in roadways.	Normal use in roadways. PVC upper section is approved only for use in open space applications. Not to be used under roadways.
				Norwood Foundries			
				WD Valve Boxes Ltd.			
2511	11 (2.10)	WP – 11	Hydrant	Mueller		AWWA C502	
				Clow			
2516	2 (2.3.1)	WP – 12	Service Saddle	ROBAR	Series 2600		For PVC pipe only. Service saddles on AC or CI pipe require full circle gaskets.
				Cambridge Brass	Series 8400		
2516	2 (2.3.2)	WP – 13	Repair Clamps	ROBAR	Series 5600		
				ROMAC	Style SS2		
2516	2 (2.3.2)	WP – 14	Unions	Ford			
				Mueller			
				Cambridge Brass			

City of Regina
Standard Construction Specification

Approved Products List

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model		Standard	Comment/Description
2516	2 (2.3.4)	WP – 15	Curb Stops	Mueller	Mueller Type H15219N, Mueller Type H15182N		ANSI/NSF 61	Low Lead
				Cambridge Brass	Cambridge Brass Model 203NL			
				Ford	Ford Model B44N			
2516	2 (2.3.4)	WP – 16	Curb Boxes and Covers	Titan Foundry	Epoxy coated Cast Iron Boots		ASTM A48	Ribbed cover complete with standard pentagon plug. Refer to Standard Drawing S-7
				WD Industrial	Polymer Boots			
2516	3 (2.3.5)	WP – 17	Corporation Stops	Mueller	25mm: Mueller Type H 15008N 40mm/50mm: Mueller Type H25008N		ANSI/NSF 61	Low Lead
				Ford	Ford Model F1000NL or FB1000NL			
				Cambridge Brass	Cambridge Brass Model 301NL			
2516	3 (2.3.6)	WP – 18	Protective tape and primer for coating		Primer	Tape	AWWA C209 AWWA C217	
				Denso	Paste	Densyl		
				Polyken	927	932		
				Trenton	Paste	Tec-tape		
				PetroWrap	Primer	LT		
				Bren Technologies	Primer	Tec-tape		

City of Regina
Standard Construction Specification

Approved Products List

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
2516	3 (2.3.8)	WP – 19	Tapping Sleeves and Valves	ROBAR	Series 6606		
				ROMAC	SST		
15151	1	WP – 21	Water Meters	Neptune	Neptune Mach 10	AWWA C700, AWWA C715 AWWA C705, and NSF/ANSI 61 Registers to AWWA C707	The Water Meters shall be supplied with an encoder type register as specified in section 15151.
15151	3	WP – 22	Meter Interface Units	Neptune	Neptune R900 Neptune R900 Cellular		
15403	1	WP – 23	Hose Connection Vacuum Breakers (HCVB)	Conbraco			
				Watts			
				Zurn/Wilkins			
				Febco			
15403	1	WP – 24	Double Check Valve Assembly (DCVA)	Conbraco			
				Watts			
				Zurn/Wilkins			
				Febco			
15403	2	WP – 25	Reduced Pressure Principle Backflow Assembly (RPPBA)	Conbraco			
				Febco			
				Watts			
				Zurn Wilkins			

City of Regina
Standard Construction Specification

Approved Products List

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
2511	5-6 (2.5.1)	WP-26	Internal Lining	Devoe	Bar Rust 233 H	AWWA C210 ANSI/NSF-61	Liquid Epoxy
				To be Determined		AWWA C213 ANSI/NSF-61	Fusion Bonded Epoxy
2511	5-6 (2.5.1)	WP-27	Exterior Coa. ng	Shaw	Yellow Jacket	AWWA C213 or CSA Z245.20	Pipe sizes 600 mm and smaller
				Valspar	Pipeclad 2000 Fusion Bonded Epoxy	AWWA C214	Optional for pipe sizes 600 mm and smaller and for all pipe sizes greater than 600mm.
				Denso	Polyolefin Tape Coating		
				Denso	Protal 7250 Liquid Epoxy	AWWA C210	Spot Repairs Only
2511	12 (2.13.2)	WP-28	Cadweld	Erico	CS25XF-19		
			Cadweld mould	Erico	CAHBA-1H		
2511	10 (2.10.3)	WP-29	Pumper Connection	Mueller		NFPA 1963, UL 240, FM 1510 or FM 1511	

City of Regina
Standard Construction Specification

Approved Products List

SEWER SPECIFICATIONS PRODUCTS (SP)							
Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
1325	2 (2.2)	SP - 01	Valves: Gate Valves	Mueller		AWWA C509	
				Clow		AWWA C515	
1325	2 (2.2)	SP - 02	Valves boxes	Titan Foundry			
				Norwood Foundries			
				WD Valve Boxes Ltd.	Type A PI		
1325	2 (2.3)	SP - 03	Combination Sewage Air Valves	APCO	Series 440		
				API	D-020		
				VENT-O-MAT			
1330	2 (2.2)	SP - 04	Standard Manhole Frame and Cover in All Traffic Areas and easements	Titan Foundry	NF-80	ASTM A48 ASTM A27	Refer to Standard Drawing S-9
				Norwood Foundry	TF-80		
1330	2 (2.2)	SP – 05	Oversized Manhole Frame and Covers	Titan Foundry	TF-40	ASTM A48 ASTM A27	Refer to Standard Drawing S-29
				Norwood Foundry	NF-40		
1330	2 (2.2)	SP – 06	Catch Basin Frame and Cover (rolled curb on low point or continuous grade)	Norwood Foundry	NF-35	ASTM A48 ASTM A27	Refer to Standard Drawings S-14. Residential and collector streets only.
				Titan Foundry	TF-35		

City of Regina
Standard Construction Specification

Approved Products List

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
1330	2 (2.2)	SP – 07	Catch Basin Frame and Cover (barrier curb at low point or continuous grade)	Norwood Foundry	NF-36	ASTM A48 ASTM A27	Refer to Standard Drawings S-15. Residential and collector streets only.
				Titan Foundry	TF-36		
1330	2 (2.2)	SP – 08	Catch Basin Frame and Covers (Non-standard)	Norwood Foundry	NF-60	ASTM A48 ASTM A27	Refer to Standard Drawing S-16. <i>Use only on existing catch basins that do not permit listed frames and covers to be installed.</i>
				Titan Foundry	TF-104		
1330	2 (2.2)	SP – 09	Grated Catch Basin Frame and Cover in Easements	Norwood Foundry	NF-80	ASTM A48 ASTM A27	Refer to Standard Drawing S-7.
				Titan Foundry	TF-80		
1330	2 (2.2)	SP – 10	Catch Basin Frame and Covers on Bus Routes and Arterial Streets	Titan Foundry	TF-103-4	ASTM A48 ASTM A27	Refer to Standard Drawing S-15A
1330	2 (2.2)	SP-11	High Capacity Catch Basin Frame and Cover	Norwood Foundry	NF-51-Side NF-51-GuŹer	ASTM A48 ASTM A27	Refer to Standard Drawings S-30A, S30B, S-30C, S30D
				Titan Foundry	K-1		

Section	Page (Clause)	Product ID	Product	Manufacturer	Product Model	Standard	Comment/Description
1300	1 (2.1)	SP-12	Polyvinyl Chloride Pipe (PVC)	ADS Pipe	Sanitite HP Pipe	ASTM F2764 ASTM D3034	For sewer and drainage use. Sizes up to 1200 mm
				Diamond Plastics	SDR35 Sewer Pipe		

ROADWAYS SPECIFICATIONS PRODUCTS (RP)							
2170	1 (2.1)	RP - 01	Perforated Drainage Pipe	Armtec	Big 'O'	ASTM F667	To be enclosed in filter fabric
				ADS	Single Wall		
2390	1 (2.1)	RP – 02	Crack Sealant	Crafco Inc.	Roadsaver 522	ASTM D6690	

OPEN SPACE SPECIFICATIONS PRODUCTS (OP) CURRENTLY UNDER REVIEW							

TRAFFIC ENGINEERING SPECIFICATIONS PRODUCTS (TP)							
N/A	N/A	TP - 01	Aeroflex	Pelco Products Inc			Traffic Signal backboard.